SECUREENTRY-AC200S

/ Data sheet

Door keypad with access control, screen and fingerprint verification, PIN...

GTIN: 5906935203026



Type of verification: fingerprint, RFID card, password

Max number of users: 999

Max number of fingerprints: 120

Supported frequency : 13,56 MHz

Communication: WiFi

SECUREENTRY-AC200S

/ Specifications





Model	SECUREENTRY-AC200S
EAN	5906935203026
Type of device	RFID reader with access control
Frequency of compatible RFID key fobs and cards	13,56 MHz
Fingerprint sensor	capacitive sensor (7-pin, KFP112BA01)
Type of verification	13.56 MHz RFID card, fingerprint, password
Max. number of employees in the database	999
Max. number of administrators in the database	9
Max. number of fingerprints in the database	120
Number of keys	12
Languages	English
Communications	WIFI
Access Control	Yes
Wiegand Input/Output	no
Power consumption	300mA

Processor	EN-1093
Working voltage	DC9V~12V (current: less than 1A)
Reading distance	1,5 cm
Operating temperature	-10°C~ +60°C
Operating humidity	20 ~ 80%
Dimensions of the device	13,5 x 7 x 1 cm
Package dimensions	15,3 x 9,6 x 4 cm
Weight	200 g
Weight with packaging	400 g