




Operating system: Android 15

Memory: 4 GB / 64 GB


Display: 5 inches IPS, 1280 x 720

Scanning: 1D and 2D codes (QR, Aztec, Data Matrix)

Wireless: WiFi, Bluetooth 4.2, 4G LTE, WCDMA, GSM

Battery: removable 3900 mAh

Operating time: up to 12 hours



Model	ANDROSAVVY-200-26
EAN	5906935203613
Color	Black
Operating system	Android 15
Processor	MTK6761 quad core 2GHz
Memory	4GB/64GB
Display	5 inch IPS 16:9, 1280*720
Display Type	GFF 5-point capacitive touchscreen, Gorilla Glass 3
LED	Charging, Scanning, System statuses
Camera	Auto focus 8 Mega with LED flash
Speaker	Minimum 90db at 10cm-1KHz
Microphone	Noise-canceling microphone
Keyboard and keys	Touch keyboard + 3 side function keys
Sensors	3D accelerometer, Gravity, Light, Proximity
Communications	Bluetooth 4.2, WiFi 802.11 a/b/g/n/ac (2.4G+5G)
Wireless network	CSM, FDD-LTE, TDD-LTE, WCDMA

Communication with computer	USB 2.0 OTG : Type-C Supports headphones with Type-C input
Code scanner	Built-in 2D code scanner
Languages	English
Interface	USB type C
Expansion slot	MicroSD, SDHC support up to 128GB
Battery Capacity	Removable 3900mAh battery
Charging time	3 hours
Operating time	12 hours
Dimensions of the device	16.5 × 7.8 × 2.3 cm
Package dimensions	20.5 × 11 × 5.5 cm
Device Weight	330 g
Weight with packaging	450 g
Operating temperature	-20 - 50°C
Operating humidity	5 to 95%
Drop resistance	Multiple drops to concrete from a height of 1.5 m in a reinforced protector as required by MIL STD 810 G
Protection class	IP65, MIL-STD 810G
ESD	±15kV air discharge, ±8kV contact discharge
Readable 1D codes	CHINESE 2 of 5, CODABAR, CODE 11, CODE 128, CODE 39, Discrete 2 of 5, Interleaved 2 of 5 (ITF), MSI, RSS, UPC/EAN
Readable 2D codes	Australian Postal, Aztec, Composite, Datamatrix, Dutch Postal (KIX), Japan Postal, MaxiCode, MicroPDF417, microQR, PDF417, postal codes: US PostNet, QR Code, RSS, TLC-39, UK Postal, US Planet