HD10

/ Data sheet

Wired USB Barcode Scanner Reader HDWR HD10

GTIN: 5907614661076



Type of scanned codes: 1D barcodes from paper labels

Scanning speed: up to 300 scans per second

Interface: USB (Plug & Play, HID keyboard)

Scan confirmation: blue LED and audible signal

Protection level: IP54

Drop resistance: up to 1.8 m

Compatibility: Windows XP/7/8/10/11, Linux

Set includes: scanner, USB cable, user manual

HD10

/ Specifications





Model	HD10
EAN	5907614661076
Warranty	2 years
Material	ABS+PC
Light source	650nm laser diode
Scanning type	bi-directional
Confirmation of scanning	light and sound signal
Scanning speed	300 times per second
Processor	32-bit ARM
Reading width	5-30 cm
Print contrast	min 25%
Error rate	1/5 million
Laser lifetime	12,000 hours
Button lifespan	5,000,000 times
Output voltage	5 / 3,3 V
Operating current	40mA
Standby current	28mA

Protection class	IP54
Drop resistance	up to 1.8m
Dimensions of the device	16 x 9,5 x 6 cm
Package dimensions	20 x 10 x 7 cm
Device Weight	170 g
Weight with packaging	240 g
Operating temperature	- 20 to 50°C
Storage temperature	-40 to 60°C
Readable 1D codes	Coda bar, Full ASCII Code 39, China post, CODE 11, CODE 39, CODE 93, EAN, EAN-128, Industrial 2 of 5, Interleaved 2 of 5 (ITF), ISBN, ISSN, MSI, UPC
Scanning engine	Laser
Scanning method	manually (push button)
Codes being read	1D (line)
Interface	USB
Built-in memory	Yes
Docking station	No
Long Range	No
Reader stand	No
Reading codes from the LCD screen	Yes
USB Receiver	Yes