HD6600

/ Data sheet

WiFi/Bluetooth pocket QR code reader HD6600

GTIN: 5907614660338



Scanning method: manual (trigger button)

Scanned codes: 1D and 2D (including QR, Data Matrix, PDF417)

Wireless communication: 2.4 GHz radio and Bluetooth

Wireless range: up to 20 meters

Internal memory: storage of up to 5000 scanned codes

Interface: USB

Set includes: scanner, USB receiver, USB cable, user manual

HD6600

/ Specifications





Model	HD6600
EAN	5907614660338
Warranty	2 years
Light source	650 nm +/- 10 nm LED
Confirmation of scanning	light signal, sound signal and vibration
Battery Capacity	650 mAh
Wireless operating range	20 m
Wireless frequency	2,4 GHz
Cable length	100 cm
Dimensions of the device	7,7 x 3,9 x 1,8 cm
Dimensions of the receiver	2 x 1,5 x 0,5 cm
Package dimensions	13,5 x 10,5 x 5,5 cm
Device Weight	60 g
Weight with packaging	100 g
Operating temperature	0 to 40°C
Storage temperature	-40 to 80°C
Operating humidity	5 to 95%

Storage humidity	5 to 95%
Readable 1D codes	GS1 Composite, HongKong 2 of 5, NEC 2 of 5, Straight 2 of 5, CODABAR, Codablock F, CODE 11, CODE 128, CODE 32, CODE 39, CODE 93, GS1 DataBar, IATA 2 of 5, Interleaved 2 of 5 (ITF), Matrix 2 of 5, microPDF, MSI Plessey, Pharmacode Plessey, Telepen, Trioptic, UPC/EAN/JAN
Readable 2D codes	Micro PDF417, Micro QR, Datamatrix, MaxiCode, PDF417, QR Code
Built-in memory	Yes
Codes being read	1d-2d, 1D (line), 2D (multidimensional)
Docking station	No
Interface	USB
Reader stand	No
Scanning engine	CMOS
Scanning method	manually (push button)
USB Receiver	No
Reading codes from the LCD screen	Yes
Long Range	No