HD10C

/ Data sheet

Barcode scanner with a wired stand, automatic code scanning from the screen...

GTIN: 5907614662066



Type of scanned codes: 1D barcodes from paper labels and LCD/LED/OLED screens

Scanning sensor: CCD matrix

Scanning mode: manual / automatic (hands-free with stand)

Scanning speed: 200 scans per second

Interface: USB

Additional functions: inverted code reading, programmable prefix/suffix

Set includes: scanner, dedicated stand, USB cable, user manual

HD10C

/ Specifications





Model	HD10C
EAN	5907614662066
Warranty	2 years
Light source	620nm LED
Confirmation of scanning	light and sound signal
Reading speed	200 times/second
Cable length	140 cm
Protection class	IP54
Dimensions of the device	16 x 9,5 x 6,5 cm
Dimensions of stand	24 x 12 x 12 cm
Package dimensions	18,5 x 12 x 8,5 cm
Device Weight	300 g
Weight with packaging	370 g
Operating temperature	-20 - 50°C
Storage temperature	-40 - 60°C
Readable 1D codes	other one-dimensional, CHINESE 2 of 5, CODABAR, CODE 11, CODE 128, CODE 39, CODE 93, EAN-13, EAN-8, Interleaved 2 of 5 (ITF), MSI, UPC-A, UPC-E

Interface	USB
Codes being read	1D (line)
Reading codes from the LCD screen	Yes
Scanning engine	CCD
Scanning method	automatically (after approaching the code), manually (push button)
Built-in memory	No
Docking station	No
Reader stand	Yes
USB Receiver	No
Long Range	No