HD3900

/ Data sheet

Wireless 2D, QR code reader, storage mode, HDWR HD3900

GTIN: 5907614666927



Type of scanned codes: 1D and 2D barcodes including QR and Aztec, from paper labels and phone screens (LCD/OLED)

Scanning sensor: CMOS matrix (640×480)

Scanning mode: manual (button) / automatic (proximity)

Connectivity: wireless via USB micro-receiver; wired USB also supported

Internal memory: storage of up to 120,000 scanned codes

Battery life: up to 15 hours on a single charge

Compatible OS: Windows XP/7/8/10, Linux, Android, macOS

Set includes: scanner, USB cable, USB micro-receiver, user manual

HD3900

/ Specifications





Model	HD3900
EAN	5907614666927
Warranty	2 years
Sensors	640*480 CMOS
Confirmation of scanning	Sound and light signal
Scan angle	Rotation ±360°, horizontal ±60°, oblique ±70°
Operating time	15 hours
Charging time	4 hours
Supported operating systems	Linux, Android, Windows XP, 7, 8, 10, MacOS
Dimensions of the device	16.5 x 8.6 x 6.6 cm
Package dimensions	18.5 x 11 x 8.3 cm
Device Weight	173 g
Weight with packaging	312 g
Operating temperature	10 to 45°C
Storage temperature	-20 to 40°C
Operating humidity	5 to 95%
Storage humidity	5 to 95%

Readable 1D codes	Airline 2 of 5, Codablock A, Code11, Code128, Code93, EAN/UPC, Full ASCII Code 39, HongKong 2 of 5 China post), Interleaved 2 of 5 RSS-14, Straight 2 of 5 Industrial, Trioptic Code, CODABAR, Codablock F, CODE 32, Code39, EAN-13, EAN-8, GS1 DataBar Expanded, GS1 DataBar Limited, GS1 DataBar Omnidirectional, Matrix 2 of 5, MSI, Pharmacode, RSS-Expanded, RSS-Limited, Telepen, UPC-A, UPC-E
Readable 2D codes	Aztec code, Data Matrix Code, DOT_CODE, Composite, HanXin, MaxiCode, MicroPDF417, QR Code
Codes being read	1d-2d, 1D (line), 2D (multidimensional)
Built-in memory	Yes
Interface	USB
Scanning engine	CMOS
USB Receiver	Yes
Reading codes from the LCD screen	Yes
Docking station	No
Reader stand	No
Scanning method	manually/automatically
Long Range	No