HD340

/ Data sheet

Stationary QR 2D code scanner, stationary reader, wired, industrial, USB...

GTIN: 5907614662448



Scanning: After approaching the code (automatically)

Scanning speed: 200 scans/second

Types of scanned codes: 1D and 2D barcodes (e.g., QR) from printed labels and phone screens

Resistance to falls: from a height of up to 1.6 meters

HD340

/ Specifications





Model	HD340
EAN	5907614662448
Codes being read	1d-2d, 1D (line), 2D (multidimensional)
Color	Black
Material	ABS
Light source	LED
Scanning engine	CMOS
Scanning method	automatically (after approaching the code)
Confirmation of scanning	sound signal
Scanning speed	200 scans/second
Power Supply	5V
Interface	USB, Virtual COM
Drop resistance	up to 1.6 meters
Dimensions of the device	8 x 6,8 x 5,3 cm
Package dimensions	17 x 9 x 6 cm
Device Weight	135 g
Weight with packaging	170 g

Readable 1D codes	CODABAR, CODE 11, CODE 128, CODE 39, CODE 93, EAN-13, EAN-8, Industrial 2 of 5, Interleaved 2 of 5 (ITF), Matrix 2 z 5, MSI Plessey, RSS-14, RSS-Expanded, RSS-Limited, UPC-A, UPC-E
Readable 2D codes	Datamatrix, HanXin, microQR, PDF417, QR
Docking station	No
Reader stand	No
USB Receiver	No
Built-in memory	No
Reading codes from the LCD screen	Yes
Long Range	No