HD203

/ Data sheet

AZTEC industrial QR code and barcode scanner with metal housing, wired...

GTIN: 5907614669843



Scanning: automatically (when the code is approached), manually (by pressing the button)

Type of scanned codes: 1D and 2D barcodes, including QR and Aztec, from paper labels and phone screens

Interface: USB, Virtual COM

Drop resistance: up to 1.2 meters

HD203

/ Specifications





Model	HD203
EAN	5907614669843
Light source	laser LED 617nm
Scanning engine	CMOS
Scanning method	automatically (after approaching the code), manually (push button)
Interface	USB, Virtual COM
Cable length	150 cm
Drop resistance	up to 1.2 meters
Storage temperature	-40°C - 70°C
Operating humidity	5 to 95%
Storage humidity	5 to 95%
Dimensions of the device	5.5 x 4.5 x 2 cm
Package dimensions	21.5 x 10 x 7.5 cm
Weight	170 g
Weight with packaging	190 g

Readable 1D codes	CODABAR, CODE 11, CODE 128, CODE 32, CODE 39, CODE 93, EAN, Febraban, GS1 Composite+, GS1 DataBar, IATA 2 z 5, Interleaved 2 of 5 (ITF), ISBN, ISSN, Matrix 2 z 5, MSI Plessey, Plessey, Industrial 2 of 5, UPC
Readable 2D codes	Aztec, Datamatrix, GoCode, HanXin, MaxiCode, microQR, QR Code