HD-S63

/ Data sheet

QR and barcode scanner, desktop, wired USB HDWR HD-S63

GTIN: 5907614666880



Scanning method: automatic (code approach)

Scanning sensor: CMOS matrix 640×480

Supported code types: 1D and 2D barcodes, QR codes (paper and screens)

Interface: USB

Cable length: 170 cm

Protection rating: IP54 (dust and moisture resistant)

Compatible OS: Linux, Android, Windows XP/7/8/10, macOS

Dimensions: 10.6 × 7.3 × 14.3 cm

HD-S63

/ Specifications





Model	HD-S63
EAN	5907614666880
Warranty	2 years
Sensors	640x480 CMOS
Confirmation of scanning	audible and light signals
Supported operating systems	Linux, Android, Windows XP, 7, 8, 10, MacOS
Cable length	170 cm
Protection class	IP54
Dimensions of the device	10,6 x 7,3 x 14,3 cm
Package dimensions	18 x 16,8 x 12,1 cm
Device Weight	370 g
Weight with packaging	528 g
Operating temperature	0 to 60°C
Storage temperature	-20 to 60°C
Operating humidity	5 to 95%
Storage humidity	5 to 95%

Readable 1D codes	Code 39 FullASCII, EAN-13 5, GS1 DataBar RSS14 (Stacked), GS1-128, Interleaved 2 of 5, Standard 25, CODABAR, CODE 128, CODE 39, CODE 93, EAN-13, EAN-8, GS1 DataBar Expanded, GS1 DataBar Limited, Industrial 2 of 5, ISBN, Matrix 2 of 5, UPC-A, UPC-E
Readable 2D codes	Data Matrix, MicroPDF417, microQR, PDF417, QR Code
Docking station	No
Interface	USB
Reader stand	No
Reading codes from the LCD screen	Yes
Scanning engine	CMOS
Scanning method	automatically (after approaching the code)
USB Receiver	No
Built-in memory	No
Long Range	No