# TIMELOK-300NWEPBI

/ Data sheet

Working time recorder LAN with additional battery, Wiegand IC TimeLok-300

GTIN: 5907614665029




**Type of verification**: fingerprint, PIN, RFID card/key fob 125 kHz and 13.56 MHz

**RFID technology**: yes (dual frequency)

**Max. number of employees in the base**: 1000

**Max. number of logins stored**: 100,000

**Communication**: USB, WiFi, WEB, P2P, LAN, Wiegand IC

**Backup battery**: yes (up to 4 hours)

**Access control interface**: Wiegand IC

**Power supply**: 9–12V

# TIMELOK-300NWEPBI

/ Specifications





| | |
|---|---|
| **Model** | TIMELOK-300NWEPBI |
| **EAN** | 5907614665029 |
| **Warranty** | 1 year |
| **Fabric** | ABS |
| **Verification type** | Fingerprint, RFID card/key fob, password |
| **Operating frequency** | 125 kHz, 13,56 mHz |
| **Max. number of employees in the database** | 1000 |
| **Max. number of fingerprints in the database** | 1000 |
| **Max. number of passwords in the database** | 1000 |
| **Max. capacity of logs in the database** | 100 000 |
| **Buttons quantity** | 16 |
| **Display** | 2.4’ TFT LCD |
| **Menu language** | English |
| **Power supply** | 9~12V |
| **Error rate** | 1/1 000 000 |

| | |
|---|---|
| **Operating temperature** | -10 ~ 60°C |
| **Operating humidity** | 20 ~ 80% |
| **Device dimensions** | 17,5 x 13 x 4,5 cm |
| **Packaging dimensions** | 19,5 x 15 x 10,5 cm |
| **Weight of the device** | 350 g |
| **Weight of device with packaging** | 450 g |