

# Metal RFID tag with 865-868MHz frequency, resistant to high temperatures, Tag-H4-2019, set of 10 pieces

SKU: Tag-H4-2019-10 | EAN: 5906935200964



**Operating frequency:** EU 865-868 MHz, US 902-928 MHz

**Material:** metal (PEEK)

**Reading distance:** up to 140 cm (handheld reader), up to 270 cm (stationary reader)

**Chip:** Alien Higgs-4

## Metal RFID tag with 865-868MHz frequency, resistant to high temperatures, Tag-H4-2019, set of 10 pieces

Model	Tag-H4-2019-10	Color	black
Material	metal	Suitable surface	metal surfaces
Operating frequency	EU 865-868 MHz, US 902-928 MHz	Reading distance	Up to 140 cm (handheld reader), up to 270 cm (stationary reader)
IC type	Alien Higgs-4	Memory	EPC 128 bits, USER 128 bits, TID 64 bits
Write cycles	100,000 times	Data storage	Up to 50 years
Dimensions	20 x 2.1 mm	Holes	2 mm x 2
Weight	100 g	Operating temperature	-40°C to +150°C (10 hours of operation at 180°C)
Storage temperature	-55°C to +200°C (280°C for 50 minutes, 250°C for 150 minutes)	IP degree of protection	IP68
Certifications	Approved range, Approved RoHS, Approved CE		