HD-LR66

/ Data sheet

QR, AZTEC and barcode scanner with charging station, WiFi Bluetooth reader...

GTIN: 5907614664343



Scanning method: manually (via button) / automatically (when code is near)

Types of codes read: 1D and 2D barcodes, including QR and Aztec, from paper labels and phone screens

Wireless communication: Bluetooth, 2.4 G

Built-in memory: yes

Docking station included: yes

HD-LR66

/ Specifications





Model	HD-LR66
EAN	5907614664343
Codes being read	1d-2d, 1D (line), 2D (multidimensional)
Light source	617nm LED
Scanning method	automatically (after approaching the code), manually (push button)
Confirmation of scanning	light and sound signal
Scanning speed	300 scans/second
Wireless communication	2.4 G, bluetooth
Interface	USB
Drop resistance	up to 1.5 metres
Dimensions of the device	18 x 14.5 x 9.5 cm
Package dimensions	18 x 14.5 x 9.5 cm
Weight	450 g
Weight with packaging	525 g
Operating temperature	-20 - 50°C
Storage temperature	-30 - 60°C

Readable 1D codes	CODABAR, CODE 11, CODE 128, CODE 32, Code 39Full ASCII, CODE 93, Code39, GS1 DataBar, Industrial 2 of 5, Interleaved 2 of 5 (ITF), ISBN, ISSN, MSI, UPC/EAN
Readable 2D codes	Aztec, Datamatrix, HanXin, MaxiCode, MicroPDF417, microQR, QR Code
Scanning engine	CMOS
Docking station	Yes
Reader stand	No
USB Receiver	No
Built-in memory	Yes
Reading codes from the LCD screen	Yes
Long Range	No