HD-SL95

/ Fișă tehnică

Cititor wireless profesional de coduri QR și Aztec HD-SL95

GTIN: 5907614662257



Scanning engine: CMOS

Codes being read: 1D and 2D (QR, Aztec, Data Matrix, PDF417)

Scanning method: manual (button) / automatic (proximity)

Wireless: 2.4G (up to 100 m), Bluetooth (up to 10 m)

Built-in memory: up to 40,000 codes

Screen reading: yes (LCD, LED, OLED)

Display: yes (connection mode, battery level)

Protection rating: IP54

HD-SL95

/ Specificații





Model	HD-SL95
EAN	5907614662257
Garanție	2 ani
Confirmarea scanării	Semnal sonor și vizual (buzzer, LED)
Comunicație wireless	2.4 G, bluetooth
Memorie de coduri	Până la 40.000 coduri
Afișaj	Da (mod conexiune, nivel baterie)
Clasă de protecție	IP54
Rezistență la cădere	1.5 m
Coduri 1D citibile	Industrial 2 din 5, Interleaved 2 of 5, UPC-A, UPC-E, CODABAR, CODE 11, CODE 128, CODE 39, CODE 93, EAN-13, EAN-8, GS1 DataBar, MSI
Coduri 2D citibile	Data Matrix, Micro QR, PDF417, Aztec, QR Code
Motor de scanare	CMOS
Interfață	USB
Metoda de scanare	manual/automat
Suport cititor	Nu
Memorie integrată	Da

HD-SL95

Coduri citite	1D (linie), 1d-2d, 2D (multidimensional)
Stație de andocare	Nu
Rază lungă	Nu
Citirea codurilor de pe ecranul LCD	Da
Receptor USB	Da
Raza de operare wireless	2,4G (până la 100 m), Bluetooth (până la 10 m)